

COFFEINUM BIOVETA 125 mg/ml injection solution

1. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER AND OF THE MANUFACTURING AUTHORISATION HOLDER RESPONSIBLE FOR BATCH RELEASE, IF DIFFERENT

Marketing authorisation holder
and manufacturer:

BIOVETA, a.s.,
Komenského 212,
683 23 Ivanovice na Hané,
Czech republic

2. NAME OF THE VETERINARY MEDICINAL PRODUCT

COFFEINUM BIOVETA 125 mg/ml
injection solution
Caffeine

3. STATEMENT OF ACTIVE AND OTHER SUBSTANCES

1 ml contains

Active substance:

Caffeine 125 mg

Excipients:

Sodium benzoate 125 mg

Clear, colourless or yellowish injection
solution.

4. INDICATION(S)

Acute general physical weakness,
collapse or shock as a sign of sedation
or paralysis of the central nervous system
(after exhausting exertion, poisoning or
severe diseases), surgical coma, heart
insufficiency (mainly bradycardic type) and
other cases of injury or fatigue, depressive
conditions, to shorten waking up after
general anaesthesia.

5. CONTRAINDICATIONS

Hypertension, ischemic heart disease,
hyperthyroidism, severe hepatic
dysfunction.

6. ADVERSE REACTIONS

Insomnia, restlessness and excitement only
in higher doses.

7. TARGET SPECIES

Horses, cattle, pigs, sheep, goats, dogs
and cats.

8. DOSAGE FOR EACH SPECIES, ROUTE(S) AND METHOD OF ADMINISTRATION

Subcutaneous, intramuscular
or intravenous administration

Horse:

10 – 20 ml s.c., i.m., 5 – 10 ml i.v.;

Cattle:

20 – 40 ml s.c., i.m., 10 – 20 ml i.v.;

Pig, sheep goat:

2 – 8 ml s.c., i.m., 1 – 4 ml i.v.;

Dog:

0.5 – 2 ml s.c., i.m., 0.25 – 1 ml i.v.

Cat:

0.5 ml s.c., i.m., 0.25 ml i.v.

The same doses as administered
subcutaneously or doses one-half higher
may be administered orally.

The effect appears 15 to 30 minutes after
s.c. or i.m. administration and lasts up
to several hours.

9. ADVICE ON CORRECT ADMINISTRATION

10. WITHDRAWAL PERIOD

Horses, cattle: meat: 1 day

Pigs, sheep, goats: meat:

Without withdrawal periods.

Milk: Without withdrawal periods.

11. SPECIAL STORAGE PRECAUTIONS

Keep out of the reach of children.

Do not store above 25 °C.

Protect from light.

Do not freeze.

Do not use this veterinary medicinal product
after the expiry date which is stated on the
carton.

Shelf life after first opening the container:
28 days.

12. SPECIAL WARNINGS

Special precautions to be taken by the
person administering the veterinary
medicinal product to animals:

Avoid accidental self-injection.

In case of accidental self-injection,
seek medical advice immediately and
show the package leaflet or the label
to the general practitioner.

After manipulating the product, wash your
hands with water and soap.

In case of contact with the skin or eyes,
wash the exposed area with plenty of water.

Incompatibilities

No compatibility studies are available,
and so this veterinary medicinal product
must not be mixed with any other veterinary
medicinal products.

13. SPECIAL PRECAUTIONS FOR THE DISPOSAL OF UNUSED PRODUCT OR WASTE MATERIALS, IF ANY

Any unused veterinary medicinal product
or waste materials derived from such
veterinary medicinal product should be
disposed of in accordance with local
requirements.

14. DATE ON WHICH THE PACKAGE LEAFLET WAS LAST APPROVED

August 2013

15. OTHER INFORMATION

Interactions:

Caffeine potentiates analgesic

(pain reducing) effect of analgesics

– antipyretics (medication against fever).

Use during pregnancy, lactation or lay:

During pregnancy, the elimination half-life
is ca. double. Owing to the low caffeine
content the risk for young animals
is negligible, bringing about no more
than a disturbed sleeping regime.

Overdose:

Higher doses may lead to restlessness,
excitation, trembling, tachycardia and
arrhythmia.

For animal treatment only.

To be supplied only on veterinary
prescription.

Packaging:

glass vial of 50 ml with a rubber stopper.

bioveta



Dimensions (mm): A6 (105 × 148 mm) duplex printing
Colours: black
Prepared by: Vlková
Date: 8. 9. 2015

Approved by:

Date: