

Eye drops
DIAMOND EYES

PACKAGE LEAFLET

for use of Eye drops Diamond eyes for the treatment and prevention of ophthalmic diseases in dogs and cats

Approved by: N.A. Vlasov, the Deputy Head of the Federal Service for Veterinary and Phytosanitary Surveillance

(Development organization: NVTs Agrovetzashchita Ltd., bld. 2, 4, Igarskii passage, Moscow, 129329 Russia)

I. General

Trade name: Eye drops Diamond Eyes.

International nonproprietary names of active ingredients: chlorhexidine, taurine, succinic acid.

Dosage form: eye drops. 1 ml of the drug product contains 0.15 mg of chlorhexidine, 20 mg of taurine and 1 mg of succinic acid as active ingredients, and also water for injection as an excipient.

Appearance: a transparent liquid of light blue color.

The shelf life of a drug product in a sealed manufacturer's packaging is 2 years from the date of manufacture; and 28 days after the first opening of the vial at a temperature not higher than 8°C. It is forbidden to use the drug product after the expiration date. Eye Drops Diamond Eyes are produced in 5, 10, 15 and 20 ml polymer dropper bottles sealed with screw-on polymer tamper-evident caps; in 10, 15, 20 and 30 glass vials sealed with rubber stoppers, aluminum rolled flip-off. Dropper vials and glass vials are individually packed in cardboard boxes along with instructions for use.

Store the medicinal product in the manufacturer's closed packaging protected from direct sunlight and separately from food and feed, at a temperature of 5°C to 25°C.

Keep out of reach of children.

Unused drug product should be disposed in accordance with legal requirements.

Available without a veterinarian's prescription..

II. Pharmacological properties

Eye drops Diamond eyes is a combined ophthalmic drug.

The drug has a local bactericidal, anti-inflammatory, and anti-edema effect.

Chlorhexidine has a rapidly manifested bactericidal effect on gram-positive and gram-negative bacteria, dermatophytes and lipophilic viruses. Its mechanism of action consists in the binding of cations formed as a result of the dissociation of chlorhexidine salts by the walls of bacterial cells, disruption of the osmotic balance and membrane function of cells, which leads to a decrease in the level of cellular ATP and the death of the microorganism.

Taurine and succinic acid normalize redox processes, have a reparative effect, slow down the development of cataracts and prevent degenerative and dystrophic disorders in the retina and lens.

In terms of the effect upon the animal body Eye drops Diamond Eyes can be referred to low hazardous substances (hazard class 4 in accordance with GOST 12.1.007) they do not have local irritating and allergenic effects in recommended doses.

III. Indications:

Eye drops Diamond eyes are prescribed for dogs and cats for daily hygienic treatment of the eyes (removal of dried exudate in the corners of the eyes); reduction of itching, irritation and excessive lacrimation during inflammation of the mucous membrane and hyperemia of the eyeball vessels ("red eye" syndrome); for a therapeutic and preventive purpose in acute and chronic catarrhal and serous-catarrhal conjunctivitis; for the prevention of infectious eye diseases after injuries and foreign bodies; in order to prevent cataracts and age-related degenerative and dystrophic changes in the retina and cornea.

A contraindication to use is increased sensitivity of the animal to the drug product ingredients.

For everyday use and with mild conjunctivitis, exudate and crusts are removed from the inner corner of the eye with a sterile gauze swab moistened with the drug product, and then the drug product immediately instilled into the conjunctival cavity at a rate of 1 drop for cats and dogs weighing up to 10 kg, 2 drops for dogs weighing more than 10 kg.

The treatment is carried out 1-3 times a day from time to time at 5-10-day intervals:

- when treating the eyes once a day, the drug product is used no more than 45 days with a following 10-day break;

- when treating the eyes twice a day, the drug product is used no more than 20 days with a following 7-day break;

- when treating the eyes thrice a day, the drug product is used no more than 14 days with a following 5-day break.

In case of excessive lacrimation, "red eye" syndrome, trauma, ingress of foreign objects or irritating substances, the drug is instilled 1-2 drops 3 times a day for 5-14 days.

The is used at a rate of 1-2 drops 2 times a day in 20-day courses with a 10-day interval in order to prevent cataracts and age-related degenerative changes in the retina and cornea.

Overdose symptoms have not been identified.

The side effects of the drug product action during its first use and withdrawal were not observed.

Special studies on the use of the drug in pregnant females and newborn animals have not been conducted. If necessary, use of the drug product is possible by medical prescription of a veterinarian, if the expected benefit outweighs the potential risk. The drug product can be used in animals during lactation. Violations of the drug use regimen should be avoided, as it can lead to a therapeutic effectiveness decrease. If the following treatment is missed, it

should be carried out as soon as possible in the same dose. As a rule, side effects and complications are not observed if Eye drops Diamond eyes are used in accordance with this package leaflet.

In case of increased sensitivity of the animal to the drug product ingredients and allergic reactions, the treatment is stopped, the drug product is washed off with water and detergent and desensitizing therapy is carried out.

When other ophthalmic drugs are used together, the interval between their administrations should be at least 5 minutes. There is no information about the incompatibility of Eye drops Diamond eye with drug products of other pharmacological groups and feed additives. Eye drops Diamond eyes are not intended for use by productive animals.

IV. Personal preventive measures

The requirements set to personal hygiene and labor safety and health regulations imposed on handling drug products must be complied with while handling Eye drops Diamond eyes.

It is prohibited to smoke, drink or eat during administration of the drug product. After handling the drug product wash your hands with soap and lukewarm water. It is prohibited to use empty package where the drug product has been contained for household purposes – the packages must be disposed of with solid waste.

At incidental contact of the drug product with skin or eye mucosa rinse thoroughly with plenty of water. People with hypersensitivity to the ingredients of the drug product must avoid direct contacting with Eye drops Diamond eyes. In the event of occurrence of allergic reactions or at incidental swallowing of the drug product consult the physician immediately (take away with you this package leaflet or the drug product label).

Marketing Authorisation No.: in Russia 7-3-10.17-3885 No. IIBP-3-7.6/01804 dated 20.09.17

/AVZ

animal health/

Name and address of the production site of the manufacturer of the drug product for veterinary use:

AVZ S-P LTD., 1, Tsentralnaia str., Sergiyev Posad, Moscow region, 141305 Russia.

Name and address of the organization authorized by the marketing authorization holder or owner of the drug product to accept claims from the consumers: AVZ S-P LTD., 1, Tsentralnaia str., Sergiyev Posad, Moscow region , 141305 Russia.

24-hour hotline: 8-800-700-19-93 (toll free in Russia).

See information on product conformity assessment at: www.vetmag.ru.