

Please note: This product information is a translation of the German package insert (official regulatory document, can be found in the package). The translation has neither been checked officially nor approved for regulatory purposes.

Package Insert

Pharmaceutical entrepreneur and manufacturer:

Biologische Heilmittel Heel GmbH
Dr.-Reckeweg-Str. 2-4, 76532 Baden-Baden

Engystol ad us. vet.

Injection solution

Homeopathic medicinal product

Indications:

Homeopathic veterinary medicinal product without approved therapeutic indications. Before use a veterinary examination should be done.

Contraindications:

Do not use in a known hypersensitivity to any of the ingredients of the drug.

Interactions:

None known. Like all medicinal products, homeopathic medicinal products can have interactions with other medicinal products. Veterinary advice should be obtained if Engystol ad us. vet. is to be used with other drugs.

Side effects:

None known. Note: While treating with a homeopathic medicinal product the existing symptoms can be worsened (initial aggravation). In this case you should discontinue the medication and you should refer to the treating veterinarian. If you notice a side effect that is not listed in this package insert inform your veterinarian or pharmacist.

Target animal species:

Horse, cattle, swine, sheep, goat, dog, cat

Dosage and mode of the application:

Engystol ad us. vet. can be injected subcutaneously. Depending on the animal species, the single dose is:

Horse, cattle, swine: 5 ml

Piglet: 2 - 3 ml

Sheep, goat: 2 ml

Large dog: 3 - 4 ml

Medium dog: 2 ml

Small dog, cat: 1 - 2 ml

Puppies: 0,5 - 1 ml

Depending on the severeness of the case, the single dose can be given once daily over a maximum of 5 consecutive days.

Duration of treatment:

Note: The pharmaceutical product should not be administered over a longer period of time without veterinary advice.

Waiting time:

Horse, cattle, swine, sheep, goat: 0 days

Precautions for the application:

In the case of persisting, unclear, periodically or newly appearing symptoms, fever or reduced general condition refer to the veterinarian immediately. Injection of this medicinal product should only be carried out by a veterinarian, or other persons, who have sufficient proficiency in the correct injection technique. As with all medicines ask your veterinarian before using this medicine during pregnancy and lactation.

Notes on expiration date and retention:

Keep medicines out of the reach of children! Do not use the medicinal product after the expiration date on the surrounding package and the ampoules. Use immediately after opening the ampoules. Opened ampoules must be discarded.

Storage instructions:

No specific storage conditions are required.

Composition:

1 ampoule of 5 ml (= 5 g) contains: Active substance(s): Vincetoxicum hirundinaria Dil. D6 30,0 mg, Vincetoxicum hirundinaria Dil. D10 30,0 mg, Vincetoxicum hirundinaria Dil. D30 30,0 mg, Vincetoxicum e cinere Dil. D30 5,0 mg, Sulfur Dil. D10 15,0 mg, Sulfur Dil. D4 15,0 mg. The ingredients 1-5 are potentiated together over the last two steps. Other ingredients: Sodium chloride, water for injection.

Package sizes:

Injection solution
5 and 50 ampoules of 5 ml.

Further information:

Available only in pharmacies. Reg. No.: 3410.00.00

Approval date of the package insert:

February 2012

Specific instruction:

Cutting open the glass ampoule is not necessary! Hold the ampoule head up at an angle and tap/shake down the solution contained in the ampoule head and then break it off by applying pressure away from the color dot.