



Bulamogen

Amoxicillin and Gentamicin Sulfate Injection 15%+4%

★★★★★ 5549 views

Content: 100g:10g

Packing: 100ml

Application: Used for gastrointestinal, respiratory breast infections caused by sensitive bacteria, such as pneumonia, diarrhea, bacterial enteritis, mastitis, metritis, etc.

Description

Composition

Each ml contains

Amoxicillin Trihydrate.....150mg

Gentamicin Sulfate.....40mg

Indication

Cattle: gastrointestinal, respiratory and intramammary infections caused by bacteria sensitive to the combination of amoxicillin and gentamicin, such as pneumonia, diarrhoea, bacterial enteritis, mastitis, metritis and cutaneous abscesses.

Dosage and Administration

For intramuscular administration:

The general dosage is 1 ml per 10 kg body weight per day for 3 days.

Cattle: 30-40 ml per animal per day for 3 days.

Calves: 10-15 ml per animal per day for 3 days.

Shake well before use. Do not administer more than 20 ml in cattle or more than 5 ml in calves per injection site to favor absorption and dispersion.

Contraindications

Hypersensitivity towards amoxicillin or gentamicin.

Administration to animals with a seriously impaired liver and/or renal function.

Concurrent administration of tetracyclines, chloramphenicol, macrolides and lincosamides.

Concurrent administration of nephrotoxic compounds.

Side Effect

Hypersensitivity reactions.

Withdrawal Time

For meat: 30 days.

For milk: 2 days.

Storage and Expired Time

Store below 30°C and protect from light.

2 years.

Packing

100ml