



BUTAFENIL PASTA ORAL®

NON-STEROIDAL ANTI-INFLAMMATORY,
ANALGESIC AND ANTIARTHRITIC

	FORMULA	PRESENTATION
Phenylbutazone	19,5 g Formulation agents q.s	100,0 g

SIRINGE

34 g.

Oral paste



BUTAFENIL®

Anti-inflammatory, analgesic, and anti-arthritic for use exclusively in sport horses.

Phenylbutazone is a non-steroidal anti-inflammatory drug (NSAID) that is highly absorbed from the gastrointestinal tract. It inhibits the arachidonic acid cascade, reducing inflammation, edema, erythema, and pain. When administered on an empty stomach, it reaches peak blood concentration sooner than when given with feed (hay and/or grains).

It is eliminated in the bile after being metabolized in the liver; only 2% is excreted in the urine.

INDICATIONS FOR USE

It is especially indicated for the treatment of acute and chronic inflammatory processes, as well as for suppressing the pain response in musculoskeletal disorders.

VIA OF ADMINISTRATION AND DOSAGE

Dosage: 4.4 mg/kg body weight. This is equivalent to 2.2 g of phenylbutazone in a 500 kg animal or 0.44 g of phenylbutazone per 100 kg body weight.

For a 500 kg animal, this corresponds to 11.28 g of oral paste.

Frequency of administration: Every 12 or 24 hours.

Route of administration: Oral.

Duration of treatment: For 3 to 5 days, at the discretion of the attending veterinarian, depending on the animal's progress.

CONTRAINDICATIONS

Do not use in conjunction with warfarin, sulfonamides, or nephrotoxic drugs (aminoglycoside antibiotics, etc.).

Do not use if digestive ulcers, coagulation defects, cardiac, renal, or hepatic dysfunction are suspected, or if thyroid conditions or drug allergies are present.

WARNINGS

Do not exceed the stated dosage.

May cause hypersensitivity in susceptible individuals. Use with caution in ponies or foals, geriatric animals, or animals with renal, hepatic, or hypovolemic conditions.

Discontinue use if ulcers appear in the oral, gastric, or intestinal mucosa, or if the feces become dark or tarry.

Do not administer with feed, as it delays absorption. In case of accidental ingestion, seek medical attention and take the product label with you.

Do not administer to horses intended for human consumption.

Store the product between 15 and 25 °C.

Keep out of reach of children and pets.

For veterinary use only.