

**INDICATIONS OF USE:** Phenylbutazone is for the relief of chronic and acute inflammatory conditions. Arthritis, myositis, tendinitis, synovitis, joint efforts, osteitis. Hyperthermia

**DOSAGE AND METHOD OF ADMINISTRATION:** Administer orally. Adult equines: Loading dose: 3 g (3 tablets) daily. Maintenance dose 2 g (2 tablets) daily. Consider that effects will be noticed as from 6 hours after the dose administration. If after 5 days of treatment the symptoms do not disappear, check the diagnosis. In ponies and old animals, it is recommended to decrease the dose to 2.2 mg per kg bodyweight.

**CONTRAINDICATIONS:** Do not combine with warfarin or sulphonamides. Do not used in suspected cases of gastric ulcers, coagulation defects, cardiac, renal or hepatic disease . Do not use in thyroid disorders. Do not use in horses who have a history of allergy to the drug. If acute intoxication occurs, discontinue treatment , alkalize urine and administer prostaglandins and H2 Blockers.

**WARNING:** Keep out of reach of children and pets. In the event of accidental poisoning attend the nearest poison control center.

**STORAGE CONDITIONS:** Between 15° and 25° C and sheltered from light.

Used containers must be discarded in accordance with current local legislation.

# DIFEBUZOL COMPRIMIDOS

Analgesic  
Anti-inflammatory



**Calastremé**  
PRODUCTOS VETERINARIOS

To be sold with a  
veterinary prescription.

VETERINARY USE  
**50 tablets**

MADE IN ARGENTINA

## COMPOSITION:

Phenylbutazone.....1 g.  
Excipients q.s. .... 1 Tablet.

■ SENASA Cert. N° 03-085  
■ Registered Establishment N° 8533

Produced: (Date)  
Expires: (Date)  
Series:

ARGENTINE PRODUCT 

Produced and distributed by :  
Est. Calastremé S.A.  
La Paz 2150 B1640CYB Mtz., Bs. As., Argentina.  
Tel.: (011) 4580-9999  
Technical Director: Dr. Carlos N. Nuñez  
Vet. Doctor - Medical Registration P.B.A. 1350  
e-mail: [info@calastreme.com.ar](mailto:info@calastreme.com.ar)  
[www.calastreme.com.ar](http://www.calastreme.com.ar)