

Echinacea compositum ad us. vet.



Composition

Echinacea compositum ad us. vet. Injection solution:
1 ampoule of 5.0 ml contains: Echinacea angustifolia D3 0.5 ml; Aconitum napellus D4 0.1 ml; Sulfur D8 0.1 ml; Lachesis mutus D10 0.1 ml; Bryonia cretica D6 0.1 ml; Mercurius sublimatus corrosivus D6 0.1 ml; Phosphorus D8 0.1 ml; Arnica montana D6 0.1 ml.

Echinacea compositum ad us. vet. drops:

10 g contains: Echinacea D3 1 g; Aconitum napellus D4 0.2 g; Sulfur D8 0.2 g; Lachesis mutus D10 0.2 g; Bryonia D6 0.2 g; Hydrargyrum bichloratum D6 0.2 g; Phosphorus D8 0.2 g; Arnica montana D6 0.2 g.



Indications

Stimulation of the body's defense systems, in fever and inflammations, like abscesses, furuncles, phlegmons, gingivitis, sinusitis, gastroenteritis, enterocolitis, cystitis, pyelitis, vaginitis, purulent fistulae, osteomyelitis, otitis, skin diseases, mastitis, bovine respiratory disease, swine influenza, cat flu, delayed recovery period.

Echinacea compositum ad us. vet.



Injection Solution
5.0 ml

Drops
100 ml



Contraindications

Not to be used in case of a known hypersensitivity against one of the ingredients. (Ampoules:) As a matter of principle, Echinacea compositum ad us. vet. should, due to the ingredient Echinacea and the dilution contained, be used with care in chronic viral diseases like e.g. Leucosis or FIV and in autoimmune diseases like Rheumatic diseases and Lupus erythematodes. In cases of doubt, a veterinarian should be asked.



Side effects

None known.



Interaction with other medications

None known.



Waiting period

None.

Echinacea compositum ad us. vet.



Injection Solution
5.0 ml

Drops
100 ml



Instructions for use, route and duration of administration:

Echinacea compositum ad us. vet. ampoules
are to be administered by s.c. injection.

According to species, the daily single dosage
is as follows:

Horse, cattle, swine:	5 ml
Piglet:	2-3 ml
Sheep, goat:	2 ml
Large dog:	3-4 ml
Medium dog:	2 ml
Small dog, cat:	1-2 ml
Puppy:	0.5-1 ml

In cases with acute symptoms, the indicated dosage
can be repeated after a period of 24 hours.

Echinacea compositum ad us. vet.



Injection Solution
5.0 ml

Drops
100 ml



Instructions for use, route and duration of administration:

Echinacea compositum ad us. vet. drops
are to be administered orally.

According to species, the daily dosage
is as follows:

Horse, cattle:	3 x 60 drops
Swine:	3 x 40-60 drops
Large dog:	3 x 40 drops
Medium dog, sheep:	3 x 30 drops
Small dog, cat:	3 x 20 drops
Small rodent, cage bird:	3 x 5 drops

If necessary, depending on the severity of the case, the
indicated dosage can be repeated for a maximum of
five consecutive days.



Package sizes:

Echinacea compositum ad us. vet.: Packs containing
5 or 50 ampoules of 5.0 ml each.

Drop bottles containing 100 ml.