




Hexamaj LA

Categories: All Category , Animal health products , antibiotics , injectable (generic) , veterinary pharmaceuticals

DESCRIPTION

Description

Composition:

Each 1 ml contains :

Oxytetracycline (as Oxytetracycline dihydrate) : 300 mg

Flunixin (as Flunixin meglumine) : 20 mg

Properties:

- Hexamaj LA is an injection solution of a broad long-acting spectrum antibiotic (Oxytetracycline Dihydrate) and the non-steroidal anti-inflammatory drug (NSAID) flunixin meglumine.
- Oxytetracycline Dihydrate is a broad-spectrum bacteriostatic antibiotic with high activity against many gram-positive and gram-negative bacteria and certain mycoplasmas.

Flunixin meglumine is a relatively potent non-narcotic, non-steroidal analgesic with anti-inflammatory , anti-endotoxic and anti-pyretic properties

Indications:

- Indicated primarily for the treatment of bacterial pneumonia associated with Pasteurella spp. and for the control of associated pyrexia in beef and non-lactating dairy cattle.
- In addition, for the treatment of infectious disease of cattle caused by such organisms sensitive to oxytetracycline where an anti-inflammatory and anti-pyretic effects is required.

Dosage and administration:

- Administered by deep intramuscular injection

1 mL / 10 kg bodyweight (equivalent to 30 mg/kg oxytetracycline and 2mg/kg flunixin) , once injection.

- Do not administer more than 10 ml / injection site (1 to 2 ml / site in small calves).

Contraindications:

- Contraindicated in animals suffering from cardiac, hepatic or renal disease.
- Avoid use in dehydrated, hypovolemic or hypotensive animals
- Do not use in animals showing hypersensitivity to either Flunixin meglumine or Oxytetracycline Dihydrate
- Do not use in cases of known resistance to tetracyclines.

Warnings:

- Do not use in female dairy cattle 20 months of age or older.
- Do not use in calves to be processed for veal.

Withdrawal period:

Meat: 35 days from the last treatment.

Storage: Store at a temperature below 30 °C