

IVERCAL PLUS

Broad-spectrum antiparasitic for horses | Oral Paste



Calastremé
PRODUCTOS VETERINARIOS

VETERINARY USE | To be sold with a veterinary prescription only.

NET CONTENT: 10 o 30 g

MADE IN ARGENTINA

FORMULA: each gram of product contains:

Ivermectin	12 mg.
Praziquantel	150 mg.
Excipients q.s.	100 g

For use in horses only.

INDICATIONS: Broad-spectrum antiparasitic for horses, indicated for the treatment of the following parasites:

LARGE STRONGYLES: *Strongylus vulgaris* (adults and arterial larvae); *Strongylus edentatus* (adult and encysted larvae); *Strongylus equinus* (adult); *Triodontophorus* spp. (adults).

CESTODES: *Anoplocephala magna*; *Anoplocephala perfoliata*.

LARVAE: *Gasterophilus* spp (oral and gastric stages)

OTHER NEMATODES: *Parascaris equorum* (adults and 3rd and 4th instar larvae); *Oxyuris equi* (adults and 3rd and 4th instar larvae); *Trichostrongylus axei* (adult); *Strongyloides westeri* (adult); *Habronema muscae* (adults); *Onchocerca* spp (microfilariae); *Dictyocaulus amfield* (adult and 4th instar larva).

Treatment of skin lesions caused by *Habronema* spp. larvae (summer sore) and cutaneous microfilariae of *Onchocerca* spp.

Foals and pregnant mares can be safely treated as indicated.

It must be administered for the first time when foals are between 6 and 8 weeks old, and whenever deemed necessary by an intervening professional afterwards .

Pregnant mares can be treated during any month of pregnancy, although it is recommended to do it one month before and one month after delivery to reduce contamination of pastures in Spring and Summer, thus reducing infections in the foals.

DOSAGE AND ADMINISTRATION:

This product is for oral application.

The suggested dose is 1 g. of IVERCAL PLUS per 60 kg. of body weight. The product is administered orally as follows: The syringe's plunger is marked according to the dose to be

administered per weight of the equine. Each mark on the plunger equals 1 g. of product, quantity indicated per 60 kg. of animal weight. Place the syringe's cannula in the animal's interdental space, verifying that its mouth is free of food.

Press the plunger so that the paste is released on the back of the tongue.

Immediately lift the animal's head for a few seconds, to facilitate swallowing.

WARNINGS:

Do not administer to horses intended for human consumption. Do not administer to animals under 6 months old.

PRESENTATION:

10 g. syringe = 600kg.

30 g. syringe = 1,800 kg.

NOTE: The distributor is not responsible for the consequences arising from improper use of the product, since it will be used in circumstances beyond the distributor's control.

Always consult with your veterinarian.

Keep out of reach of children and pets

In the event of accidental poisoning attend the nearest poison control center.

Storage: Between 15° and 30° C and sheltered from light.

Used containers must be discarded in accordance with current local legislation.

Series:

Produced: (Date)

Expires: (Date)

Technical Director: Dr. Carlos N. Nuñez. Veterinary Doctor.
Medical Registration P.B.A 1350



SENASA Cert. N° 06-260
Estab. Elab. N° 8533



PROTECT
THE ENVIRONMENT



ARGENTINE PRODUCT



Calastremé
PRODUCTOS VETERINARIOS

Produced and distributed by : Establecimiento Calastremé S.A. La Paz 2150 B1640CYB
Martínez, Buenos Aires, Argentina. Ph.: (011) 4580-9999 e-mail: info@calastreme.com.ar

www.calastreme.com.ar