

ADVERSE REACTION:

When used according to manufacturer's recommendations, the product does not cause any adverse reaction.

DRUG INTERACTION:

Certain antibiotics, such as rifampicin, may modify the hepatic progesterone metabolism, reducing the effectiveness of the product.

WITHDRAWAL PERIOD:

This product does not require a withdrawal period.

PRESENTATION:

Amber glass vial containing 100 mL.

Store the product protected from sunlight at temperatures between 15°C and 30°C and keep out of the reach of children and pets.

**SALE AND USE UNDER
VETERINARIAN PRESCRIPTION**

Registered at the Ministry of Agriculture, Livestock and Supply under number SP 000211-9.000003 in 01/08/2016.
Technical Responsible: Dr. Jose Antonio Dell'Aqua Junior
Veterinarian CRMV/SP 11220

OWNED AND MANUFACTURED BY:

BOTUPHARMA INDUSTRIA E COMERCIO
DE PRODUTOS VETERINARIOS LTDA.
CORONEL FONSECA, 2111 – Jd. Bom Pastor
Botucatu/SP 18603-495, Brazil
CNPJ: 11.195.056/0001-65
I.E.: 224.197.376.119
Phone: +55 (14) 3112-9900
www.botupharma.com
vendas@botupharma.com.br
MADE IN BRAZIL

Batch number and manufacturing date:
See carton and label.

Expiration date:
02 (two) years after the manufacturing date.

MORE PRODUCT INFORMATION



P4-300[®]
Injectable Progesterone


Botupharma[®]
Escolha inteligente.

P4-300®

Injectable Progesterone



VETERINARY USE

FORMULA:

Each 1 mL contains:

Progesterone.....300 mg

Vehicle q.s.....1 mL

INDICATION:

P4-300® is a natural long-acting progesterone indicated for mares to prepare acyclic embryo recipients or for pregnancy maintenance.

ROUTE OF ADMINISTRATION:

Injectable product exclusively for deep intramuscular injection.

HOW TO USE AND DOSAGE:

P4-300® must be administered by deep intramuscular injection at the dosage of 5 mL (1500mg) every 7 days or 10 mL (3000mg) every 14 days for pregnancy maintenance.

INTERVAL BETWEEN DOSES AND TREATMENT DURATION:

Usually, administration is done every 7 days when using 5 mL of the product and every 14 days when using 10 mL. This protocol can be modified according to veterinary direction. In cases where the product is used for pregnancy maintenance in acyclic mares, the recommendation is for reapplications until 120 days of pregnancy.

CONTRAINDICATION AND LIMITATION OF USE:

The product must not be used in prepubescent animals. Use before expiration date. Do not use in animals that are hypersensitive to any of the product components.

CAUTION AND PRECAUTIONS IN USE:

The products must be used according to the manufacturer's recommendation. Always use sterile needles and syringes, complying with good aseptic practices.

Fechamento Gráfico

Nome: Bula P4-300 MUNDO

Material:

Cola:

Dimensões: 70 X 115 mm

1 Dobra

Cor: CMYK e pantone

Amostra de Cor: Não solicitar

Responsável Compra: Simone

Designer Gráfico: Marcos Pierri

Empresa:  **Botupharma**[®]
Escolha inteligente.



PANTONE 7548 C