

Description:

Dexamethasone-based anti-inflammatory with strong local action. Dimethyl sulfoxide promotes its diffusion in the tissues of the treated area and provides its analgesic and anti-inflammatory action

Indications :

For the anti-inflammatory and analgesic treatment of localized injuries to bones, muscles, ligaments, tendons, bursae, generally linked to sprains or trauma in equines

Doses and routes of administration:

Routes of administration: External use for topical application. Cover the affected area with a thin layer of the product or apply twice a day until the lesions or wounds resolve.

Restrictions on use:

Do not use on animals intended for human consumption or breeding animals

Contraindications and limitations of use

Do not apply the product for more than 30 days.

Do not combine with treatments with organophosphates or other cholinesterase inhibitors. Keep the container closed and out of the reach of children .

Storage: Between 5° and 35° C and protected from light.

National Poisons Centre: 0800 333 0160.

Used containers must be discarded in accordance with current local legislation.

NOTE: Since the product will be used in circumstances beyond the control of the distributor, the latter is not responsible for the consequences arising from improper use of the product.



SONASUL GEL

Anti-inflammatory
Analgesic
External Use Gel

To be sold with a
veterinary prescription

VETERINARY USE

100 g

MADE IN ARGENTINA

COMPOSITION:

Dimethyl sulfoxide..... 90 g
Dexamethasone
Base.....0.11g
Excipient csp100 g.

SENSA Cert. N° 03.087

Prod. establ. N°: 8533

ARGENTINE PRODUCT

Produced and distributed by
Establecimiento Calastremé S.A.

La PAZ 2150-(B1640CYB) Martínez, Bs. As. - Arg.

Ph: 011 4580-9999

Technical Director: Dr. Carlos N. Nuñez.

Veterinary Doctor- Medical Registration P.B.A 1350

e-mail: info@calastreme.com.ar

www.calastreme.com.ar



Sport Horses

ANTI-INFLAMMATORIES

SONASUL GEL

ANTI-INFLAMMATORY ANALGESIC | GEL FOR EXTERNAL USE

Presentación: 100 and 250 g. Pot

Formula: Dexamethasone 0.11 g; Dimethyl Sulfoxide 90.00 g; Excipients q.s. 100.00 g

Description:

Anti-inflammatory with dexamethasone with strong local action.

Dimethyl Sulfoxide favors its diffusion in the tissues of the treated area and provides its analgesic and anti-inflammatory action.

Indications for use:

For anti-inflammatory and analgesic treatment of localized lesions of bones, muscles, ligaments, tendons, bursae, usually linked to sprains or injuries in horses.

Routes of administration: External use for topical application.

Dose: Cover the affected area with a thin layer of the product once or twice a day, until the remission of injuries or wounds.

Usage restrictions: Do not use it in animals intended for human consumption or animals for reproduction.

Precautions and Warning:

Do not apply the product for more than 30 days. Do not combine with other treatments with organophosphorus cholinesterase inhibitors. Keep container closed and out of reach of children. Gloves should be used during its application.

Note: Since the product will be used in circumstances beyond the control of the supplier, the latter is not to be held responsible for the consequences arising from the improper use thereof.

Keep out of the reach of children and pets.

Store between 5° and 35°C and sheltered from light.

Used containers must be discarded in accordance with current local legislation.

In the event of accidental poisoning attend the nearest poison control center.

