

FORMULA:

Dimethyl Sulfoxide.100%

Indications for use: For the inflammatory and analgesic treatment of various skeletal trauma injuries, especially acute injuries. For fast relief of inflammation and concomitant edema. Equine sports exclusively.

Method of administration: Topical application. After washing and drying the area to be treated, brush in the direction and against the hair and rub.

Dosage: Apply every 12 to 24 hours just enough to cover the affected area. Symptoms disappear generally between 4 and 6 days of treatment. Do not apply more than 100 ml per day.

Contraindications: Do not use in horses intended for human consumption. Do not combine treatment with organophosphorus or other cholinesterase inhibitors.

Precautions: The operator should wear rubber gloves for application. Avoid contact with eyes or mucous membranes or wounds.

Warning: Keep out of reach of children and pets. In case crystallization occurs, place in warm water keeping the package sealed.

Storage conditions: Store between 5° to 25°C

Used containers must be discarded in accordance with current local legislation. In the event of accidental poisoning attend the nearest poison control center.

Note: Since the product will be used in circumstances beyond the control of the supplier, the latter is not to be held responsible for the consequences arising from the improper use thereof.

Produced and distributed by

Establecimiento Calastremé S.A.

La PAZ 2150-(B1640CYB) Martinez,

Bs. As. - Arg. Ph: 011 4580-9999

Tech. Director: Dr. Carlos N. Nuñez.

Vet. Doc. - Med. Reg. P.B.A 1350

e-mail: info@calastreme.com.ar

www.calastreme.com.ar



ARGENTINE PRODUCT



SENASA Cert. N° 79.406

Prod. establ. N°: 8533

SULFALKYL DMSO

External use in sports equines
rubefacient revulsive
treatment of inflammation.

To be sold with a veterinary
prescription.

VETERINARY USE

250 ml

MADE IN ARGENTINA



Calastremé
PRODUCTOS VETERINARIOS



SULFALKYL

DMSO | RUBEFACIENT REVULSIVE | EXTERNAL USE IN SPORTS EQUINES

Presentation: 100 and 250 mL bottle

Formula: Dimethyl Sulfoxide 100%

Indications of use:

For the inflammatory and analgesic treatment of various skeletal trauma injuries, especially acute injuries.
For fast relief of inflammation and concomitant edema. Equine sports exclusively.

Method of administration:

Topical application. After washing and drying the area to be treated, brush in the direction and against the hair and rub.

Dosage:

Apply every 12 to 24 hours just enough to cover the affected area. Symptoms disappear generally between 4 and 6 days of treatment. Do not apply more than 100 ml per day.

Contraindications:

Do not use in horses intended for human consumption.
Do not combine treatment with organophosphorus or other cholinesterase inhibitors.

Precautions:

The operator should wear rubber gloves for application. Avoid contact with eyes or mucous membranes or wounds.

Warning: Keep out of reach of children and pets. In case crystallization occurs, place in warm water keeping the package sealed.

Storage conditions: Store between 5° to 25°C

Used containers must be discarded in accordance with current local legislation.

In the event of accidental poisoning attend the nearest poison control center.

Note: Since the product will be used in circumstances beyond the control of the supplier, the latter is not to be held responsible for the consequences arising from the improper use thereof.

